

The best learning assistants

Exam : Lpi 117-303

Title : LPI Level 3 Exam 303

Update : Demo



1. An administrator has just configured an OpenVPN client. Upon starting the service, the following message is displayed:

TLS Error: TLS key negotiation failed to occur within 60 seconds

Which of the following statements is true?

- A. The client was unable to establish a network connection with the server.
- B. The client was able to establish a network connection with the server, however TLS key negotiation failed, resulting in a fallback to SSL.
- C. The client was able to establish a network connection with the server, however TLS and SSL security are not enabled.
- D. The client was able to establish a network connection with the server, however TLS key negotiation took longer than 60 seconds, indicating that there may be a problem with network performance.

Answer: A

2. SELinux has just been installed on a Linux system and the administrator wants to use SELinux in permissive mode in order to audit the various services on the system. What command will switch SELinux into permissive mode?

- A. setenforce 0
- B. /etc/init.d/selinux stop
- C. selinux passive
- D. /etc/init.d/selinux startpassive

Answer: A

3. Which of the following export options, when specified in /etc/exports, will tell the server to use the NFSv4 Pseudofilesystem?

- A. fsid=2
- B. fsid=0
- C. fsid=3
- D. fsid=1

Answer: B

4. Which of the following are common techniques for securing a sendmail server? (Select THREE correct answers)

- A. Maintain user accounts in an LDAP directory.
- B. Enable TLS.
- C. Disable VRFY.
- D. Run sendmail in a chroot'd environment.
- E. Disable USRLKUP.

Answer: BCD

5. What does ntop use for data collection?

- A. Network packets
- B. Log files
- C. Frame relay
- D. SNMP

Answer: A

6. An administrator has successfully configured a cryptographic volume for dmccrypt, and has added the following line to /etc/fstab:

```
/dev/mapper/cryptvol /media/crypt auto defaults 0 0
```

Upon booting the system, the error message "mount: special device /dev/mapper/cryptvol does not exist" is displayed. What configuration file has the administrator forgotten to edit? (Provide the full path and filename)

Answer: /etc/crypttab

7. What command will remove the dmccrypt mapping named cryptvol? (Provide the command with any options and parameters)

Answer: /sbin/cryptsetup remove crypt-vol cryptsetup remove crypt-vol

8. Which LUKS action, when supplied to the cryptsetup command, will initialize a LUKS partition and set the initial key? (Provide only the action name)

Answer: luksFormat

9. An administrator has created a mapping with the following command:

```
cryptsetup luksOpen /dev/sda1 cryptvol
```

and has set three different keys. Which command below will delete the first key?

- A. cryptsetup luksDelKey /dev/sda1 0
- B. cryptsetup luksDelKey /dev/sda1 1
- C. cryptsetup luksDelKey /dev/mapper/cryptvol 1
- D. cryptsetup luksDelKey /dev/mapper/cryptvol 0

Answer: A

10. What command will list basic information about all targets available to cryptmount? (Provide the command with any options or parameters)

Answer: cryptmount --list /usr/bin/cryptmount -l /usr/bin/cryptmount --list cryptmount -l

11. Which of the following are valid dmccrypt modes? (Choose THREE correct answers)

- A. XTS
- B. ESSIV
- C. GMR
- D. KWG

E. LRW

Answer: ABE

12. Which directive in the OpenVPN client.conf specifies the remote server and port that the client should connect to? (Provide only the directive, without any options or parameters)

Answer: remote

13. You are certain that your kernel has been compiled with ACL support, however, when you try to set an ACL on a file, you get the following output:

```
% setfacl m user:hugh:r afile.txt
```

```
setfacl: afile.txt: Operation not supported
```

What is the most likely reason for this problem?

- A. There is an error in the command line parameters.
- B. There is no user on the system named hugh.
- C. The partition has not been mounted with the acl option.
- D. The file afile.txt doesn't exist.

Answer: C

14. Which of the following are valid OpenVPN authentication modes? (Choose TWO correct answers)

- A. S/Key
- B. Kerberos
- C. Static Key
- D. Password
- E. TLS

Answer: CE

15. What is true about the permissions for the file afile given the following output from getfacl? (Select TWO correct answers)

```
% getfacl afile
```

```
# file: afile
```

```
# owner: matt
```

```
# group: support
```

```
user::rwx
```

```
user:hugh:rw
```

```
group::r
```

```
group:staff:rx
```

```
mask::rwx
```

```
other::r
```

- A. Anyone in the support group will be able to read and execute the file.

- B. The user hugh will be able to read the contents of the file.
- C. Anyone in the users group will be able to read the file.
- D. The user matt will not be able to edit this file.
- E. Anyone in the staff group will be able to read and execute the file.

Answer: BE

16. You wish to revoke write access for all groups and named users on a file. Which command will make the correct ACL changes?

- A. `setfacl x group:*:rx,user:*:rx afile`
- B. `setfacl x mask::rx afile`
- C. `setfacl m mask::rx afile`
- D. `setfacl m group:*:rx,user:*:rx afile`

Answer: C

17. What is the default UDP port for OpenVPN traffic?

Answer: 1194

18. When adding additional users to a file's extended ACLs, what is true about the default behaviour of the ACL mask for the file?

- A. The mask is modified to be the union of all permissions of the file owner, owning group and all named users and groups.
- B. The mask is left unchanged.
- C. If required, a warning is printed indicating that the mask is too restrictive for the permissions being granted.
- D. The mask is modified to be the union of all permissions of the owning group and all named users and groups.

Answer: D

19. In which of the following scenarios MUST an administrator use ethernet bridging instead of routing when configuring an OpenVPN site? (Select TWO correct answers)

- A. Some OpenVPN clients will be installed on laptops and must be able to connect from different locations.
- B. NetBIOS traffic must be able to traverse the VPN without implementing a WINS server.
- C. The IPv4 protocol is required.
- D. It will be necessary to use an MTU setting other than the default.
- E. The IPX protocol is required.

Answer: BE

20. Linux Extended Attributes include attribute classes. Which of the following are included in the defined attribute classes? (Select THREE correct answers)

- A. default

B. system

C. owner

D. trusted

E. user

Answer: BDE

ExamSavior.com was founded in 2006. The safer,easier way to help you pass any IT Certification exams . We provide high quality IT Certification exams practice questions and answers(Q&A). Especially [Adobe](#), [Apple](#), [Citrix](#), [Comptia](#), [EMC](#), [HP](#), [HuaWei](#), [LPI](#), [Nortel](#), [Oracle](#), [SUN](#), [Vmware](#) and so on. And help you pass any IT Certification exams at the first try.

You can reach us at any of the email addresses listed below.

English Customer:

Sales : sales@examsavior.com

Support: support@examsavior.com

Website: www.examavior.com

