

The best learning assistants

Exam : Microsoft 70-502

**Title : TS: Microsoft .NET
Framework 3.5 – Windows
Presentation Foundation**

Update : Demo



1. You are creating a Windows Presentation Foundation application by using Microsoft .NET Framework 3.5.

You add a CommandBinding element to the Window element. The command has a keyboard gesture CTRL+H. The Window contains the following MenuItem control.

```
<MenuItem Header="Highlight Content"  
Command="local:CustomCommands.Highlight" />
```

You need to ensure that the MenuItem control is disabled and the command is not executable when the focus shifts to a TextBox control that does not contain any text.

What should you do?

A. Set the `IsEnabled` property for the MenuItem control in the `GotFocus` event handler for the TextBox controls.

B. Set the `CanExecute` property of the command to `Highlight_CanExecute`.

Add the following method to the code-behind file for the window.

```
private void Highlight_CanExecute(object sender, CanExecuteEventArgs e) {  
    TextBox txtBox = sender as TextBox;  
    e.CanExecute = (txtBox.Text.Length > 0);  
}
```

C. Set the `CanExecute` property of the command to `Highlight_CanExecute`.

Add the following method to the code behind file for the window.

```
private void Highlight_CanExecute(object sender, CanExecuteEventArgs e) {  
    TextBox txtBox = e.Source as TextBox;  
    e.CanExecute = (txtBox.Text.Length > 0);  
}
```

D. Set the `CanExecute` property of the command to `Highlight_CanExecute`.

Add the following method to the code behind file for the window.

```
private void Highlight_CanExecute(object sender, CanExecuteEventArgs e) {  
    MenuItem menu = e.Source as MenuItem;  
    TextBox txtBox = menu.CommandTarget as TextBox;  
    Menu.IsEnabled = (txtBox.Text.Length > 0);  
}
```

Answer: C

2. You are creating a Windows Presentation Foundation application by using Microsoft .NET Framework 3.5.

You add a CommandBinding element to the Window element. The command has a keyboard gesture CTRL+H. The Window contains the following MenuItem control.

```
<MenuItem Header="Highlight Content"  
Command="local:CustomCommands.Highlight" />
```

You need to ensure that the MenuItem control is disabled and the command is not executable when the focus shifts to a TextBox control that does not contain any text.

What should you do?

A. Set the `IsEnabled` property for the MenuItem control in the `GotFocus` event handler for the TextBox controls.

B. Set the `CanExecute` property of the command to `Highlight_CanExecute`.

Add the following method to the code-behind file for the window.

```
Private Sub Highlight_CanExecute(ByVal sender As Object, _  
ByVal e As CanExecuteRoutedEventArgs)  
Dim txtBox As TextBox = CType(sender, TextBox)  
e.CanExecute = (txtBox.Text.Length > 0)  
End Sub
```

C. Set the `CanExecute` property of the command to `Highlight_CanExecute`.

Add the following method to the code-behind file for the window.

```
Private Sub Highlight_CanExecute(ByVal sender As Object, _  
ByVal e As CanExecuteRoutedEventArgs)  
Dim txtBox As TextBox  
txtBox = CType(e.Source, TextBox)  
e.CanExecute = (txtBox.Text.Length > 0)  
End Sub
```

D. Set the `CanExecute` property of the command to `Highlight_CanExecute`.

Add the following method to the code-behind file for the window.

```
Private Sub Highlight_CanExecute(ByVal sender As Object, _  
?ByVal e As CanExecuteRoutedEventArgs)  
Dim Menu As MenuItem = CType(e.Source, MenuItem)  
Dim txtBox As TextBox = CType(Menu.CommandTarget, TextBox)  
Menu.IsEnabled = (txtBox.Text.Length > 0)  
End Sub
```

Answer: C

3. You create a Windows Presentation Foundation application by using Microsoft .NET Framework 3.5.

The application is named `EnterpriseApplication.exe`.

You add the `WindowSize` parameter and the `WindowPosition` parameter to the `Settings.settings` file by using the designer at the User Scope Level. The dimensions and position of the window are read from the

user configuration file.

The application must retain the original window size and position for each user who executes the application.

You need to ensure that the following requirements are met:

?The window dimensions for each user are saved in the user configuration file.

?The user settings persist when a user exits the application.

Which configuration setting should you use?

- A. `private void OnClosing(object sender, System.ComponentModel.CancelEventArgs e){ Settings.Default.WindowPosition = new Point (this.Left, this.Top); Settings.Default.WindowSize = new Size (this.Width, this.Height); Settings.Default.Save();`
- B. `private void OnClosing(object sender, System.ComponentModel.CancelEventArgs e){ RegistryKey appKey = Registry.CurrentUser.CreateSubKey("Software\\EnterpriseApplication"); RegistryKey settingsKey = appKey.CreateSubKey("WindowSettings"); RegistryKey windowPositionKey = settingsKey.CreateSubKey("WindowPosition"); RegistryKey windowSizeKey = settingsKey.CreateSubKey("WindowSize"); windowPositionKey.SetValue("X", this.Left); windowPositionKey.SetValue("Y", this.Top); windowSizeKey.SetValue("Width", this.Width); windowSizeKey.SetValue("Height", this.Height);`
- C. `private void OnClosing(object sender, System.ComponentModel.CancelEventArgs e){ XmlDocument doc = new XmlDocument(); doc.Load("EnterpriseApplication.exe.config"); XmlNode nodePosition = doc.SelectSingleNode("//setting[@name='WindowPosition']"); nodePosition.ChildNodes[0].InnerText = String.Format("{0},{1}", this.Left, this.Top); XmlNode nodeSize =`

```
doc.SelectSingleNode("//setting[@name='WindowSize']");
nodeSize.ChildNodes[0].InnerText = String.Format("{0},{1}",
this.Width, this.Height);
doc.Save("UserConfigDistractor2.exe.config");
D. private void Window_Closing(object sender,
System.ComponentModel.CancelEventArgs e){
StreamWriter sw =
new StreamWriter("EnterpriseApplication.exe.config", true);
sw.WriteLine("<EnterpriseApplication.Properties.Settings>");
sw.WriteLine("<setting name="
\"WindowSize\" serializeAs='\"String\">");
sw.WriteLine(String.Format("<value>{0},{1}</value>",
this.Width, this.Height));
sw.WriteLine("</setting>");
sw.WriteLine("<setting name="
\"WindowPosition\" serializeAs='\"String\">");
sw.WriteLine(String.Format("<value>{0},{1}</value>", this.Left,
this.Top));
sw.WriteLine("</setting>");
sw.WriteLine("</UserConfigProblem.Properties.Settings>");
sw.Close();
```

Answer: A

4. You have created a Windows Presentation Foundation application by using Microsoft .NET Framework 3.5. The application, named EnterpriseApplication.exe, runs over the network.

You add the WindowSize parameter and the WindowPosition parameter to the Settings.settings file by using the designer at the User Scope Level. The dimensions and position of the window are read from the user configuration file.

The application must retain the original window size and position for users executing the application.

You need to ensure that the following requirements are met:

?The window dimensions for each user are saved in the user configuration file.

?User settings persist when a user exits the application.

Which configuration setting should you use?

A. Private Sub OnClosing(ByVal sender As Object, ByVal e _
As System.ComponentModel.CancelEventArgs)

My.Settings.Default.WindowPosition = New Point(Me.Left, Me.Top)

```
My.Settings.Default.WindowSize = New Size(Me.Width, Me.Height)
```

```
My.Settings.Default.Save()
```

```
End Sub
```

```
B. Private Sub OnClosing(ByVal sender As Object, ByVal e As _
```

```
System.ComponentModel.CancelEventArgs)
```

```
Dim appKey As RegistryKey = _
```

```
Registry.CurrentUser.CreateSubKey("Software\EnterpriseApplication")
```

```
Dim settingsKey As RegistryKey = _
```

```
appKey.CreateSubKey("WindowSettings")
```

```
Dim windowPositionKey As RegistryKey = _
```

```
settingsKey.CreateSubKey("WindowPosition")
```

```
Dim windowSizeKey As RegistryKey = _
```

```
settingsKey.CreateSubKey("WindowSize")
```

```
windowPositionKey.SetValue("X", Me.Left)
```

```
windowPositionKey.SetValue("Y", Me.Top)
```

```
windowSizeKey.SetValue("Width", Me.Width)
```

```
windowSizeKey.SetValue("Height", Me.Height)
```

```
End Sub
```

```
C. Private Sub OnClosing(ByVal sender As Object, ByVal e As _
```

```
System.ComponentModel.CancelEventArgs)
```

```
Dim doc As New System.Xml.XmlDocument()
```

```
doc.Load("EnterpriseApplication.exe.config")
```

```
Dim nodePosition As System.Xml.XmlNode = _
```

```
doc.SelectSingleNode("//setting[@name='WindowPosition']")
```

```
nodePosition.ChildNodes(0).InnerText = String.Format("{0},{1}", _
```

```
Me.Left, Me.Top)
```

```
Dim nodeSize As System.Xml.XmlNode = _
```

```
doc.SelectSingleNode("//setting[@name='WindowSize']")
```

```
nodeSize.ChildNodes(0).InnerText = String.Format("{0},{1}", _
```

```
Me.Width, Me.Height)
```

```
doc.Save("UserConfigDistractor2.exe.config")
```

```
End Sub
```

```
D. Private Sub Window_Closing(ByVal sender As Object, ByVal e As _
```

```
System.ComponentModel.CancelEventArgs)
```

```
Dim sw As New StreamWriter("EnterpriseApplication.exe.config", True)
```

```
sw.WriteLine("<EnterpriseApplication.Properties.Settings>")
sw.WriteLine("<setting name=""WindowSize"" serializeAs=""String"">")
sw.WriteLine(String.Format("<value>{0},{1}</value>", Me.Width, _
Me.Height))
sw.WriteLine("</setting>")
sw.WriteLine("<setting name=""WindowPosition"" _
serializeAs=""String"">")
sw.WriteLine(String.Format("<value>{0},{1}</value>", Me.Left, _
Me.Top))
sw.WriteLine("</setting>")
sw.WriteLine("</UserConfigProblem.Properties.Settings>")
sw.Close()
End Sub
```

Answer: A

5. You are creating a Windows Presentation Foundation application by using Microsoft .NET Framework 3.5.

The application defines a `BrowserWindow` class. Each instance of the `BrowserWindow` class allows the user to browse a Web site in a separate window. When a new browser window is opened, the user is redirected to a predefined URL.

You write the following code segment.

```
01 private void OpenNewWindow(object sender, RoutedEventArgs e)
02 {
03 Thread newWindowThread = new Thread(new
ThreadStart(NewThreadProc));
04
05 newWindowThread.Start();
06 }
07 private void NewThreadProc()
08 {
09 10 ?}
```

You need to ensure that the following requirements are met:

?The main window of the application is not blocked when an additional browser window is created.

?The application completes execution when the main window of the application is closed.

What should you do?

A. Insert the following code segment at line 04.

```
newWindowThread.SetApartmentState(ApartmentState.STA);
```

```
newWindowThread.IsBackground = true;
```

Insert the following code segment at line 09.

```
BrowserWindow newWindow = new BrowserWindow();
```

```
newWindow.Show();
```

```
Application app = new Application();
```

```
app.Run(newWindow);
```

B. Insert the following code segment at line 04.

```
newWindowThread.IsBackground = true;
```

Insert the following code segment at line 09.

```
newWindowThread.SetApartmentState(ApartmentState.STA);
```

```
BrowserWindow newWindow = new BrowserWindow();
```

```
newWindow.Show();
```

```
Application app = new Application();
```

```
app.Run(newWindow);
```

C. Insert the following code segment at line 04.

```
newWindowThread.SetApartmentState(ApartmentState.STA);
```

```
newWindowThread.IsBackground = false;
```

Insert the following code segment at line 09.

```
BrowserWindow newWindow = new BrowserWindow();
```

```
System.Windows.Threading.Dispatcher.Run();
```

```
newWindow.Show();
```

D. Insert the following code segment at line 04.

```
newWindowThread.SetApartmentState(ApartmentState.STA);
```

```
newWindowThread.IsBackground = true;
```

Insert the following code segment at line 09.

```
BrowserWindow newWindow = new BrowserWindow();
```

```
newWindow.Show();
```

```
System.Windows.Threading.Dispatcher.Run();
```

Answer: D

6. You are creating a Windows Presentation Foundation application by using Microsoft .NET Framework 3.5.

The application defines a `BrowserWindow` class. Each instance of the `BrowserWindow` class allows the user to browse a Web site in a separate window. When a new browser window is opened, the user is redirected to a predefined URL.

You write the following code segment.

```
01 Private Sub OpenNewWindow(ByVal sender As Object, _  
02 ?ByVal e As RoutedEventArgs)  
03 Dim newWindowThread As New Thread(New _  
04 ThreadStart(AddressOf NewThreadProc))  
05  
06 newWindowThread.Start()  
07 End Sub  
08 Private Sub NewThreadProc()  
09 10 End Sub
```

You need to ensure that the following requirements are met:

?The main window of the application is not blocked when an additional browser window is created.

?The application completes execution when the main window of the application is closed.

What should you do?

A. Insert the following code segment at line 05.

```
newWindowThread.SetApartmentState(ApartmentState.STA)  
newWindowThread.IsBackground = True
```

Insert the following code segment at line 09.

```
Dim newWindow As New BrowserWindow()  
newWindow.Show()
```

```
Dim app As New Application()  
app.Run(newWindow)
```

B. Insert the following code segment at line 05.

```
newWindowThread.IsBackground = True
```

Insert the following code segment at line 09.

```
newWindowThread.SetApartmentState(ApartmentState.STA)  
Dim newWindow As New BrowserWindow()  
newWindow.Show()
```

```
Dim app As New Application()  
app.Run(newWindow)
```

C. Insert the following code segment at line 05.

```
newWindowThread.SetApartmentState(ApartmentState.STA)  
newWindowThread.IsBackground = False
```

Insert the following code segment at line 09.

```
Dim newWindow As New BrowserWindow()
```

```
System.Windows.Threading.Dispatcher.Run()
```

```
newWindow.Show()
```

D. Insert the following code segment at line 05.

```
newWindowThread.SetApartmentState(ApartmentState.STA)
```

```
newWindowThread.IsBackground = True
```

Insert the following code segment at line 09.

```
Dim newWindow As New BrowserWindow()
```

```
newWindow.Show()
```

```
System.Windows.Threading.Dispatcher.Run()
```

Answer: D 7. You are creating a Windows Presentation Foundation application by using Microsoft .NET Framework 3.5.

The application uses several asynchronous operations to calculate data that is displayed to the user. An operation named `tommorowsWeather` performs calculations that will be used by other operations.

You need to ensure that `tommorowsWeather` runs at the highest possible priority.

Which code segment should you use?

A. `tomorrowsWeather.Dispatcher.BeginInvoke(System.Windows.Threading.DispatcherPriority.Normal, new OneArgDelegate(UpdateUserInterface), weather);`

B. `tomorrowsWeather.Dispatcher.BeginInvoke(System.Windows.Threading.DispatcherPriority.DataBind, new OneArgDelegate(UpdateUserInterface), weather);`

C. `tomorrowsWeather.Dispatcher.BeginInvoke(System.Windows.Threading.DispatcherPriority.Send, new OneArgDelegate(UpdateUserInterface), weather);`

D. `tomorrowsWeather.Dispatcher.BeginInvoke(System.Windows.Threading.DispatcherPriority.Render, new OneArgDelegate(UpdateUserInterface), weather);`

Answer: C 8. You are creating a Windows Presentation Foundation application by using Microsoft .NET Framework 3.5.

The application uses several asynchronous operations to calculate data that is displayed to the user. An operation named `tommorowsWeather` performs calculations that will be used by other operations.

You need to ensure that tomorrow'sWeather runs at the highest possible priority.

Which code segment should you use?

- A. tomorrow'sWeather.Dispatcher.BeginInvoke(_
System.Windows.Threading.DispatcherPriority.Normal, _
New OneArgDelegate(AddressOf UpdateUserInterface), weather)
- B. tomorrow'sWeather.Dispatcher.BeginInvoke(_
?System.Windows.Threading.DispatcherPriority.DataBind, _
?New OneArgDelegate(AddressOf UpdateUserInterface), weather)
- C. tomorrow'sWeather.Dispatcher.BeginInvoke(_
System.Windows.Threading.DispatcherPriority.Send, _
New OneArgDelegate(AddressOf UpdateUserInterface), weather)
- D. tomorrow'sWeather.Dispatcher.BeginInvoke(_
System.Windows.Threading.DispatcherPriority.Render, _
New OneArgDelegate(AddressOf UpdateUserInterface), weather)

Answer: C 9. You are creating a Windows Presentation Foundation application by using Microsoft .NET Framework 3.5.

You create a window for the application.

You need to ensure that the following requirements are met:

- ?An array of strings is displayed by using a ListBox control in a two-column format.
- ?The data in the ListBox control flows from left to right and from top to bottom.

What should you do?

- A. Use a ListBox control defined in the following manner.

```
<ListBox Name="myList">  
<ListBox.ItemsPanel>  
<ItemsPanelTemplate>  
<UniformGrid Columns="2"/>  
</ItemsPanelTemplate>  
</ListBox.ItemsPanel>  
</ListBox>
```

Use the following C# code to associate the array of strings to the ListBox control.

```
myList.ItemsSource = arrayOfString;
```

- B. Use a ListBox control defined in the following manner.

```
<ListBox Name="myList">  
<ListBox.ItemsPanel>  
<ItemsPanelTemplate>
```

```
<StackPanel />
</ItemsPanelTemplate>
</ListBox.ItemsPanel>
</ListBox>
```

Use the following C# code to associate the array of strings to the ListBox control.

```
myList.ItemsSource = arrayOfString;
```

C. Use a ListBox control defined in the following manner.

```
<ListBox Name="myList">
<ListBox.ItemsPanel>
<ItemsPanelTemplate>
<WrapPanel />
</ItemsPanelTemplate>
</ListBox.ItemsPanel>
</ListBox>
```

Use the following C# code to associate the array of strings to the ListBox control.

```
myListView.ItemsSource = arrayOfString;
```

D. Use a ListBox control defined in the following manner.

```
<ListBox Name="myList">
<ListBox.ItemsPanel>
<ItemsPanelTemplate>
<Grid>
<Grid.ColumnDefinitions>
<ColumnDefinition />
<ColumnDefinition />
</Grid.ColumnDefinitions>
</Grid>
</ItemsPanelTemplate>
</ListBox.ItemsPanel>
</ListBox>
```

Use the following C# code to associate the array of strings to the ListBox control.

```
myList.ItemsSource = arrayOfString;
```

Answer: A

10. You are creating a Windows Presentation Foundation application by using Microsoft .NET Framework 3.5.

You create a window for the application.

You need to ensure that the following requirements are met:

?An array of strings is displayed by using a ListBox control in a two-column format.

?The data in the ListBox control flows from left to right and from top to bottom.

What should you do?

A. Use a ListBox control defined in the following manner.

```
<ListBox Name="myList">  
<ListBox.ItemsPanel>  
<ItemsPanelTemplate>  
<UniformGrid Columns="2"/>  
</ItemsPanelTemplate>  
</ListBox.ItemsPanel>  
</ListBox>
```

Use the following VB.net code to associate the array of strings to the ListBox control.

```
myList.ItemsSource = arrayOfString
```

B. Use a ListBox control defined in the following manner.

```
<ListBox Name="myList">  
<ListBox.ItemsPanel>  
<ItemsPanelTemplate>  
<StackPanel />  
</ItemsPanelTemplate>  
</ListBox.ItemsPanel>  
</ListBox>
```

Use the following vb.net code to associate the array of strings to the ListBox control.

```
myList.ItemsSource = arrayOfString
```

C. Use a ListBox control defined in the following manner.

```
<ListBox Name="myList">  
<ListBox.ItemsPanel>  
<ItemsPanelTemplate>  
<WrapPanel />  
</ItemsPanelTemplate>  
</ListBox.ItemsPanel>  
</ListBox>
```

Use the following vb.net code to associate the array of strings to the ListBox control.

```
myListView.ItemsSource = arrayOfString
```

D. Use a ListBox control defined in the following manner.

```
<ListBox Name="myList">  
<ListBox.ItemsPanel>  
<ItemsPanelTemplate>  
<Grid>  
<Grid.ColumnDefinitions>  
<ColumnDefinition />  
<ColumnDefinition />  
</Grid.ColumnDefinitions>  
</Grid>  
</ItemsPanelTemplate>  
</ListBox.ItemsPanel>  
</ListBox>
```

Use the following vb.net code to associate the array of strings to the ListBox control.

```
myList.ItemsSource = arrayOfString
```

Answer: A

11. You create a form by using Windows Presentation Foundation and Microsoft .NET Framework 3.5. The form contains a status bar.

You plan to add a ProgressBar control to the status bar.

You need to ensure that the ProgressBar control displays the progress of a task for which you cannot predict the completion time.

Which code segment should you use?

- A. progbar.IsIndeterminate = true;
- B. progbar.IsIndeterminate = false;
- C. progbar.HasAnimatedProperties = true;
- D. progbar.HasAnimatedProperties = false;

Answer: A

12. You create a form by using Windows Presentation Foundation and Microsoft .NET Framework 3.5. The form contains a status bar.

You plan to add a ProgressBar control to the status bar.

You need to ensure that the ProgressBar control displays the progress of a task for which you cannot predict the completion time.

Which code segment should you use?

- A. progbar.IsIndeterminate = True
- B. progbar.IsIndeterminate = False
- C. progbar.HasAnimatedProperties = True

D. progbar.HasAnimatedProperties = False

Answer: A

13. You are converting a Windows Forms application to a Windows Presentation Foundation (WPF) application. You use Microsoft .NET Framework 3.5 to create the WPF application.

The WPF application will reuse 30 forms of the Windows Forms application.

The WPF application contains the following class definition.

```
public class OwnerWindow :  
System.Windows.Forms.IWin32Window  
private IntPtr handle;  
public IntPtr Handle  
get { return handle; }  
set { handle=value; }  
}  
}
```

You write the following code segment in the WPF application. (Line numbers are included for reference only.)

```
01 public DialogResult LaunchWindowsFormsDialog(  
02 ?Form dialog, Window wpfParent)  
03 {  
04 WindowInteropHelper helper=new  
05 ?WindowInteropHelper(wpfParent);  
06 OwnerWindow owner=new OwnerWindow();  
07  
08 }
```

You need to ensure that the application can launch the reusable forms as modal dialogs.

Which code segment should you insert at line 07?

A. owner.Handle = helper.Owner;

return dialog.ShowDialog(owner);

B. owner.Handle = helper.Handle;

return dialog.ShowDialog(owner);

C. owner.Handle = helper.Owner;

bool? result = wpfParent.ShowDialog();

if (result.HasValue)

return result.Value ? System.Windows.Forms.DialogResult.OK :

System.Windows.Forms.DialogResult.Cancel;

```
else
return System.Windows.Forms.DialogResult.Cancel;
D. owner.Handle = helper.Handle;
bool? result = wpfParent.ShowDialog();
if (result.HasValue)
return result.Value ? System.Windows.Forms.DialogResult.OK :
System.Windows.Forms.DialogResult.Cancel;
else
return System.Windows.Forms.DialogResult.Cancel;
```

Answer: B

14. You are converting a Windows Forms application to a Windows Presentation Foundation (WPF) application. You use Microsoft .NET Framework 3.5 to create the WPF application.

The WPF application will reuse 30 forms of the Windows Forms application.

The WPF application contains the following class definition.

```
Public Class OwnerWindow
Implements System.Windows.Forms.IWin32Window
Private handle_Renamed As IntPtr
Public Property Handle() As IntPtr _
Implements System.Windows.Forms.IWin32Window.Handle
Get
Return handle_Renamed
End Get
Set(ByVal value As IntPtr)
handle_Renamed = value
End Set
End Property
End Class
```

You write the following code segment in the WPF application. (Line numbers are included for reference only.)

```
01 Public Function LaunchWindowsFormsDialog(ByVal dialog As _
02 ?System.Windows.Forms.Form, ByVal wpfParent As Window) As _
03 ?System.Windows.Forms.DialogResult
04 Dim helper As New
05 System.Windows.Interop.WindowInteropHelper(wpfParent)
07 Dim owner As New OwnerWindow()
```

08

09 End Function

You need to ensure that the application can launch the reusable forms as modal dialogs.

Which code segment should you insert at line 08?

A. owner.Handle = helper.Owner

Dim db As New System.Windows.Forms.DialogResult()

Return db

B. owner.Handle = helper.Owner

Return dialog.ShowDialog(owner)

C. owner.Handle = helper.Owner

Dim result As Nullable(Of Boolean) = wpfParent.ShowDialog()

If result.HasValue Then

return If(result.Value, System.Windows.Forms.DialogResult.OK, _

?System.Windows.Forms.DialogResult.Cancel)

Else

Return System.Windows.Forms.DialogResult.Cancel

End If

D. owner.Handle = helper.Handle

Dim result As Nullable(Of Boolean) = wpfParent.ShowDialog()

If result.HasValue Then

Return If(result.Value, System.Windows.Forms.DialogResult.OK, _

?System.Windows.Forms.DialogResult.Cancel)

Else

Return System.Windows.Forms.DialogResult.Cancel

End If

Answer: B 15. You are creating a Windows Presentation Foundation (WPF) application by using Microsoft .NET Framework 3.5.

The WPF application has a Grid control named rootGrid.

You write the following XAML code fragment.

```
<Window x:Class="MCP.HostingWinFormsControls"
xmlns="http://schemas.microsoft.com/winfx/2006/xaml/
presentation"
xmlns:x="http://schemas.microsoft.com/winfx/2006/xaml"
Title="HostingWinFormsControls"
Loaded="Window_Loaded">
```

```
<Grid x:Name="rootGrid">  
</Grid>  
</Window>
```

You need to ensure that each time the WPF window opens, a Windows Forms control named MyCustomFormsControl is added to rootGrid.

Which code segment should you use?

A. private void Window_Loaded(object sender, RoutedEventArgs e)

```
WindowsFormsHost host = new WindowsFormsHost();
```

```
MyCustomFormsControl formsControl = new MyCustomFormsControl();
```

```
host.Child = formsControl;
```

```
rootGrid.Children.Add(host);
```

B. private void Window_Loaded(object sender, RoutedEventArgs e)

```
ElementHost host = new ElementHost();
```

```
MyCustomFormsControl formsControl=new MyCustomFormsControl();
```

```
host.Child=formsControl;
```

```
rootGrid.Children.Add(host);
```

C. private void Window_Loaded(object sender, RoutedEventArgs e)

```
MyCustomFormsControl formsControl=new MyCustomFormsControl();
```

```
formsControl.CreateControl();
```

```
HwndSource source = HwndSource.FromHwnd(formsControl.Handle);
```

```
UIElement formsElement = source.RootVisual as UIElement;
```

```
rootGrid.Children.Add(formsElement);
```

D. private void Window_Loaded(object sender, RoutedEventArgs e)

```
MyCustomFormsControl formsControl=new MyCustomFormsControl();
```

```
formsControl.CreateControl();
```

```
HwndTarget target = new HwndTarget(formsControl.Handle);
```

```
UIElement formsElement = target.RootVisual as UIElement;
```

```
rootGrid.Children.Add(formsElement);
```

Answer: A

16. You are creating a Windows Presentation Foundation (WPF) application by using Microsoft .NET Framework 3.5.

The WPF application has a Grid control named rootGrid.

You write the following XAML code fragment.

```
<Window x:Class="MCP.HostingWinFormsControls"
```

```
xmlns="http://schemas.microsoft.com/winfx/2006/xaml/
```

```
presentation"
xmlns:x="http://schemas.microsoft.com/winfx/2006/xaml"
Title="HostingWinFormsControls"
Loaded="Window_Loaded">
<Grid x:Name="rootGrid">
</Grid>
</Window>
```

You need to ensure that each time the WPF window opens, a Windows Forms control named MyCustomFormsControl is added to rootGrid.

Which code segment should you use?

```
A.Private Sub Window_Loaded(ByVal sender As Object, ByVal e As _
RoutedEventArgs)
Dim host As New WindowsFormsHost()
Dim formsControl As New MyCustomFormsControl()
host.Child = formsControl;
rootGrid.Children.Add(host);
End Sub
```

```
B. Private Sub Window_Loaded(ByVal sender As Object, ByVal e As _
RoutedEventArgs)
Dim host As New ElementHost()
Dim formsControl As New MyCustomFormsControl()
host.Child = formsControl;
rootGrid.Children.Add(host);
End Sub
```

```
C. Private Sub Window_Loaded(ByVal sender As Object, ByVal e As _
RoutedEventArgs)
Dim formsControl As New MyCustomFormsControl()
formsControl.CreateControl()
Dim target As New HwndTarget(formsControl.Handle)
Dim formsElement As UIElement = TryCast(target.RootVisual, _
UIElement)
rootGrid.Children.Add(formsElement)
End Sub
```

```
D. Private Sub Window_Loaded(ByVal sender As Object, ByVal e As _
RoutedEventArgs)
```

```

Dim formsControl As New MyCustomFormsControl()
formsControl.CreateControl()
Dim source As HwndSource = HwndSource.FromHwnd(formsControl.Handle)
Dim formsElement As UIElement = TryCast(source.RootVisual, _
UIElement)
rootGrid.Children.Add(formsElement)
End Sub

```

Answer: A

17. You are creating a Windows Presentation Foundation application by using Microsoft .NET Framework 3.5.

You include functionality in the application to troubleshoot the window behavior.

You need to display a list of UI elements at a position in the window that is decided by the mouse click. You also need to ensure that the list of elements is displayed in a message box.

Which code segment should you include in the code-behind file?

```

A. string controlsToDisplay = string.Empty;
private void Window_MouseDown(object sender, MouseButtonEventArgs e) {
controlsToDisplay = ((UIElement)sender).ToString();
MessageBox.Show(controlsToDisplay);
}
B. string controlsToDisplay = string.Empty;
private void Window_MouseDown(object sender, MouseButtonEventArgs e) {
for (int i = 0; i < this.VisualChildrenCount; i++) {
controlsToDisplay += this.GetVisualChild(i).ToString() + "\r\n";
MessageBox.Show(controlsToDisplay);
}
}
C. string controlsToDisplay = string.Empty;
private void Window_MouseDown (object sender, MouseButtonEventArgs e)
Visual myVisual;
for (int i = 0; i < VisualTreeHelper.GetChildrenCount(sender as
Visual); i++) {
myVisual = (Visual)VisualTreeHelper.GetChild(sender as Visual, i);
controlsToDisplay += myVisual.GetType().ToString() + "\r\n";
MessageBox.Show(controlsToDisplay);
}
D. string controlsToDisplay = string.Empty;
private void Window_MouseDown(object sender, MouseButtonEventArgs e) {
Point pt = e.GetPosition(this);
VisualTreeHelper.HitTest(this, null, new

```

```
HitTestResultCallback(HitTestCallback), new
PointHitTestParameters(pt));
MessageBox.Show(controlsToDisplay);
private HitTestResultBehavior HitTestCallback(HitTestResult result) {
controlsToDisplay += result.VisualHit.GetType().ToString() + "\r\n";
return HitTestResultBehavior.Continue;
}
```

Answer: D

18. You are creating a Windows Presentation Foundation application by using Microsoft .NET Framework 3.5.

You include functionality in the application to troubleshoot the window behavior.

You need to display a list of UI elements at a position in the window that is decided by the mouse click. You also need to ensure that the list of elements is displayed in a message box.

Which code segment should you include in the code-behind file?

A. Dim controlsToDisplay As String = String.Empty

```
Private Sub Window_MouseDown(ByVal sender As Object, _
ByVal e As MouseButtonEventArgs)
controlsToDisplay = CType(sender, UIElement).ToString()
MessageBox.Show(controlsToDisplay)
End Sub
```

B. Dim controlsToDisplay As String = String.Empty

```
Private Sub Window_MouseDown(ByVal sender As Object, _
ByVal e As MouseButtonEventArgs)
For i = 0 To VisualChildrenCount - 1
controlsToDisplay += GetVisualChild(i).ToString() + "\r\n"
Next
MessageBox.Show(controlsToDisplay)
End Sub
```

C. Dim controlsToDisplay As String = String.Empty

```
Private Sub Window_MouseDown(ByVal sender As Object, _
ByVal e As MouseButtonEventArgs)
Dim myVisual As Visual()
For i = 0 To VisualTreeHelper.GetChildrenCount(CType(sender, _
Visual)) - 1
myVisual(i) = CType(VisualTreeHelper.GetChild(CType(sender, _
Visual), i), Visual)
```

```
controlsToDisplay += myVisual.GetType().ToString() + "\r\n"
Next
MessageBox.Show(controlsToDisplay)
End Sub
D. Dim controlsToDisplay As String = String.Empty
Private Sub Window_MouseDown(ByVal sender As Object, _
ByVal e As MouseButtonEventArgs)
Dim pt As Point = e.GetPosition(Me)
VisualTreeHelper.HitTest(Me, Nothing, _
New HitTestResultCallback(AddressOf HitTestCallback), _
New PointHitTestParameters(pt))
MessageBox.Show(controlsToDisplay)
End Sub
Private Function HitTestCallback(ByVal result As HitTestResult) As _
HitTestResultBehavior
controlsToDisplay += result.VisualHit.GetType().ToString() + "\r\n"
Return HitTestResultBehavior.Continue
End Function
```

Answer: D

19. You are creating a Windows Presentation Foundation application by using Microsoft .NET Framework 3.5.

You write the following code segment (Line numbers are included for reference only).

```
01 Dim content As Object
02 Dim fileName As String = "theFile"
03 Using xamlFile As New FileStream(fileName & ".xaml", _
04 FileMode.Open, FileAccess.Read)
06 content = TryCast(XamlReader.Load(xamlFile), Object)
07 End Using
08 Using container As Package = Package.Open(fileName & ".xps", _
09 FileMode.Create)1011 End Using
```

You need to ensure that the following requirements are met:

The application converts an existing flow document into an XPS document.

The XPS document is generated by using the flow document format.

The XPS document has the minimum possible size.

Which code segment should you insert at line 10?

A

```
Using xpsDoc As New XpsDocument(container, _  
CompressionOption.SuperFast)  
Dim rsm As XpsSerializationManager = New _  
System.Windows.Xps.XpsSerializationManager(New _  
XpsPackagingPolicy(xpsDoc), False)  
rsm.SaveAsXaml(paginator)  
End Using
```

B. Using xpsDoc As New XpsDocument(container, _
CompressionOption.SuperFast)
Dim rsm As New XpsSerializationManager(New _
XpsPackagingPolicy(xpsDoc), False)
rsm.Commit()
End Using

C. Using xpsDoc As New XpsDocument(container, _
CompressionOption.Maximum)
Dim rsm As New XpsSerializationManager(New _
XpsPackagingPolicy(xpsDoc), False)
Dim paginator As DocumentPaginator = (CType(content, _
IDocumentPaginatorSource)).DocumentPaginator
rsm.SaveAsXaml(paginator)
End Using

D. Using xpsDoc As New XpsDocument(container, _
CompressionOption.SuperFast)
Dim rsm As New XpsSerializationManager(New _
XpsPackagingPolicy(xpsDoc), False)
Dim paginator As DocumentPaginator = (CType(content, _
IDocumentPaginatorSource)).DocumentPaginator
rsm.SaveAsXaml(paginator)
End Using

Answer: C

20. You are creating a Windows Presentation Foundation application by using Microsoft .NET Framework 3.5.

You write the following code segment (Line numbers are included for reference only).

```
01 Dim content As Object
```

```

02 Dim fileName As String = "theFile"
03 Using xamlFile As New FileStream(fileName & ".xaml", _
04 ?FileMode.Open, FileAccess.Read)
06 content = TryCast(XamlReader.Load(xamlFile), Object)
07 End Using
08 Using container As Package = Package.Open(fileName & ".xps", _
09 ?FileMode.Create)10 11 End Using

```

You need to ensure that the following requirements are met:

The application converts an existing flow document into an XPS document.

The XPS document is generated by using the flow document format.

The XPS document has the minimum possible size.

Which code segment should you insert at line 10?

A. Using xpsDoc As New XpsDocument(container, _
CompressionOption.SuperFast)

```

Dim rsm As XpsSerializationManager = New _
System.Windows.Xps.XpsSerializationManager(New _
XpsPackagingPolicy(xpsDoc), False)
rsm.SaveAsXaml(paginator)
End Using

```

B. Using xpsDoc As New XpsDocument(container, _
CompressionOption.SuperFast)

```

Dim rsm As New XpsSerializationManager(New _
XpsPackagingPolicy(xpsDoc), False)
rsm.Commit()
End Using

```

C. Using xpsDoc As New XpsDocument(container, _
CompressionOption.Maximum)

```

Dim rsm As New XpsSerializationManager(New _
XpsPackagingPolicy(xpsDoc), False)
Dim paginator As DocumentPaginator = (CType(content, _
IDocumentPaginatorSource)).DocumentPaginator
rsm.SaveAsXaml(paginator)
End Using

```

D. Using xpsDoc As New XpsDocument(container, _
CompressionOption.SuperFast)

```
Dim rsm As New XpsSerializationManager(New _  
XpsPackagingPolicy(xpsDoc), False)  
Dim paginator As DocumentPaginator = (CType(content, _  
IDocumentPaginatorSource)).DocumentPaginator  
rsm.SaveAsXaml(paginator)  
End Using
```

Answer: C

ExamSavior.com was founded in 2006. The safer,easier way to help you pass any IT Certification exams . We provide high quality IT Certification exams practice questions and answers(Q&A). Especially [Adobe](#), [Apple](#), [Citrix](#), [Comptia](#), [EMC](#), [HP](#), [HuaWei](#), [LPI](#), [Nortel](#), [Oracle](#), [SUN](#), [Vmware](#) and so on. And help you pass any IT Certification exams at the first try.

You can reach us at any of the email addresses listed below.

English Customer:

Sales : sales@examsavior.com

Support: support@examsavior.com

Website: www.examavior.com

