

# The best learning assistants

**Exam** : **HP HP0-335**

**Title** : HP OpenView Operations (OVO)  
I8.x UNIX

**Update** : Demo



**1. Choose four benefits of the HP OVO "State-based Browser" feature from the list below. Select FOUR.**

- A. new message replaces previous message
- B. messages are only displayed in the Message Browser if the desired state is NOT met
- C. status of objects (MsgGroup, Service, Node) is updated
- D. provides a dedicated filter browser for all messages being in a certain state - e.g. "all critical", "all major"
- E. the "state-based browser" displays exactly the subset of messages filtered via the selected service icon in the OVO Service Navigator service map.
- F. browser reflects the current status of the object
- G. operator is not distracted by outdated messages.

**Correct: A C F G**

**2. The Instruction Text Interface is a useful tool because it allows \_\_\_\_\_.**

- A. operators to type in instructions in the annotation box for a message.
- B. the OVO administrator to type instructions into each message condition.
- C. the integration of an instruction application, which is called dynamically for each message.
- D. operators to read other annotations and perform instructions based on the input.

**Correct: C**

**3. The embedded performance component collects basic metrics and stores them. The values of these metrics are stored \_\_\_\_\_.**

- A. in the Oracle database
- B. on the management server in a proprietary data store
- C. in an xml file on the managed node
- D. in a proprietary database on the managed node

**Correct: D**

**4. When configuring the feature "notification when a new message with a specific severity comes into the browser" in the Java GUI, the administrator can choose \_\_\_\_\_.**

- A. whether a pop-up dialog box should come up or an application must be locally executed
- B. the severity, the object and the text that must match before receiving a notification
- C. whether the pop-up dialog box should also come up in the Motif GUI
- D. whether the notification must be forwarded to the notification services or to the event correlation manager

**Correct: A**

**5. After adding the proposed managed nodes to the node list and clicking the Agent Software button, the administrator clicks on the [OK] button then an additional terminal window opens. What installation script will be run?**

- A. opcuxinst
- B. opcrinst
- C. inst.sh
- D. opcinst.sh

**Correct: C**

**6. What three kinds of data are stored in the OVO Oracle database? Select THREE.**

- A. OVO messages (events)
- B. ovw maps (like lpmmap)

- C.OVO Audit information
- D.OVO actions/applications/scripts
- E.OVO configuration (policies, users, message groups, etc.)

**Correct:A C E**

**7.Where can you set service names for messages in OVO ? Select THREE.**

- A.In the Template and condition window
- B.In the XML service file
- C.In the Regroup Condition No. window
- D.By using the opcmgs command and specifying the service\_id parameter
- E.By using the opcservice command
- F.By right mouse clicking on the message and choosing service Name?from the list

**Correct:A C D**

**8.Which of the following statements about OVO Internal Message Correlation are TRUE? Select TWO.**

- A.Message Correlation is the name for Event Correlation Services (ECS) runtime component that is shipped free with OVO.
- B.Message Correlation is used to correlate identical/similar messages on the OVO agent and server.
- C.Message Correlation makes possible the "state-based" Browser in OVO .
- D.Message Correlation is a free Smart Plug-In to correlate standard operating system messages for HP-UX, Solaris and Microsoft Windows.

**Correct:B C**

**9.How can you show an overview of the service hierarchy in Service Navigator? Select TWO.**

- A.By selecting View -> Navigation Panel in the menu
- B.By selecting part of the Service Graph, right mouse clicking on Navigation Panel
- C.By running opcsvcatr with the navig attribute
- D.By clicking on the goggle Navigation Panel?button in the toolbar

**Correct:A D**

**10.The Message Counter feature in the OVO GUI \_\_\_\_\_.**

- A.works only with messages having explicitly set the Message Key attribute
- B.works only with messages having explicitly set the Message Key attribute and having the "suppress and count duplicate messages on the OVO management server" flag enabled
- C.works for any kind of messages immediately
- D.works only when the "suppress and count duplicate messages on the OVO management server" flag is switched ON

**Correct:D**

**11.Which three options verify that the OVO management server installation was successful? Select THREE.**

- A.itostatus -verbose
- B.opcsv -status
- C.Check the OVO installation logfile for the management server.
- D.Run the application "OVO Selftest" from the Application Bank as the OVO Administrator.
- E.Use the script submit.sh to submit a few test events and check the corresponding OVO message arrival in the Message Browser.

**Correct: B C E**

**12. Applications in the Java GUI \_\_\_\_\_**

- A. can only be launched via Actions-Start menu item.
- B. CANNOT be launched.
- C. can be started in a customized way (i.e. via wizard).
- D. can only be launched with underlying Java Runtime Environment versions > Version 1.2.

**Correct: C**

**13. In which cases is DHCP supported by OVO? Select TWO.**

- A. On the management server and HTTPS nodes
- B. On HTTPS nodes only
- C. Only if nodes are marked as se dynamic IP addresses?in OVO database
- D. Only if nodes do not change IP address more that 2 times per hour
- E. Only if the managed node is behind NAT

**Correct: B C**

**14. Choose three statements regarding 'ovpolicy' options and their correct usage. Select THREE.**

- A. -a assigns the policy name to the selected nodes.
- B. -e enables the policy with the policy name
- C. -d disables the policy with the policy name
- D. -d distributes the policy with the policy name to the selected nodes
- E. -d deletes the policy with the policy name to the selected nodes
- F. -l lists the status of all installed policies

**Correct: B C F**

**15. What does Status Propagation define?**

- A. It defines how to compute the severity status of a parent service from the propagated status severity levels of the subservices
- B. It defines whether a sub-service is more or less important than other subservices
- C. It defines the factor associated with a subservice
- D. It defines the most critical status of the subservice to its parent

**Correct: B**

**16. From the Java GUI, it is NOT possible to print \_\_\_\_\_.**

- A. message browser contents.
- B. message properties.
- C. application definitions.
- D. application output.

**Correct: C**

**17. One of the features of the Java GUI is the ability to configure a pop-up dialog when a specific message comes into the browser. The condition checked in the incoming message is the \_\_\_\_\_.**

- A. text of the message
- B. severity of the message
- C. number of duplicates for the message
- D. object of the message

**Correct: B**

**18. How can an operator email messages from the message browser to the OVO administrator?**

- A. Drag and drop directly from the browser to an email application.
- B. Highlight the opc\_adm icon and use Edit->Copy and Edit->Paste in the message browser.
- C. Run the opc\_msg\_dump command, cut out the relevant messages from the file and paste into an email application.
- D. Save the messages into a file and mail the file or attach it to an outgoing mail message.

**Correct:D**

**19. In Service Navigator, you have a cluster with 4 servers. How would you set the cluster to critical when more than 50% of the servers are down?**

- A. Change the weighting factor
- B. Set up a status propagation rule
- C. Set up a status calculation rule
- D. You cannot set this up

**Correct:C**

**20. What is the Message Key Attribute?**

- A. The Message Key Attribute is an administrator-specified string used for correlating multiple, possibly different, messages.
- B. The Message Key Attribute is the unique identifier (UUID) of a message.
- C. The Message Key Attribute is the new name for the previous Message Type attribute for consistency with OVO for Windows.
- D. The Message Key Attribute triggers the color coding in the OVO Service Navigator service view.

**Correct:A**

**21. To enable/disable policy on a node, use \_\_\_\_\_. Select TWO.**

- A. ovpolicy -e/-d -polname on the node.
- B. opcdeploy -cmd vpolicy -e/-d -polname ? on the server
- C. opcdeploy -cmd vpolicy -e/-d -polname ?-node on the server
- D. ovpolicy -e/-d on the server.
- E. ovpolicy -e/-d on the node.

**Correct:A C**

**22. How can you easily set up to receive events from several system/network devices belonging to the same IP range?**

- A. You use external nodes.
- B. You configure host aliases in /etc/hosts or BIND.
- C. It is not possible. Each node must be configured manually in OVO.
- D. Add a container object in the OVO Node Bank and change the characteristics in "Edit/Object".

**Correct:A**

**23. How can non-GUI node groups be set up?**

- A. Enable the hide option in the Node Group
- B. Run the ovconfchg command
- C. the hide option in the Node Group and run the ovconfchg command
- D. Select Node Groups in the responsibility matrix file

**Correct:A**

**24. When editing a policy, the policy administrator can add custom message attributes to the resulting message coming in the message browser. This feature is NOT available with policy type**

- \_\_\_\_\_.
- A.logfile
  - B.monitor
  - C.message interceptor
  - D.SNMP traps

**Correct:D**

**25.A Database's service is normal but one of the subservices db1 is critical. How did this occur?**

- A.status propagation between the db1 service and the database?service is set to ignore
- B.In general, all subservices must be critical before the database is critical
- C.This is not possible
- D.The weighting factor was set to 0 (zero)

**Correct:A**

**26.What is the default setting for colored lines in the message browser?**

- A.The whole line is colored according to the message severity.
- B.No color.
- C.In the active browser, only the severity column is colored. In the history browser, the whole line is colored according to the message severity.
- D.Only the severity column is colored.

**Correct:D**

**27.Where can OVO write error logging messages? Select THREE.**

- A.System.bin and System.txt
- B.OVO Message
- C.Specify the configurable location in the /conf/xpl/log/log.cfg file
- D.Windows application event log and UNIX syslogd
- E.opcerror
- F.opcinfo

**Correct:A B D**

**28.How do you configure Service Load on Demand? Select TWO.**

- A.Setting an option in the itooprc file
- B.By using the opcservice command
- C.By using the Edit -> Preferences menu option
- D.Select Actions -> Specify number of service levels retrieved on demand
- E.Setting an option in the itoopbrw file

**Correct:A C**

**29.What is the quickest way to distribute a template with a changed condition to nodes having that template already assigned?**

- A.distribute the OVO agent software again, then go to OVO Distribution window with Actions-Agents-Intall>, then select the templates checkbox and "all nodes requiring update"
- B.go to the OVO Distribution window with Actions->Agents-> Install..., then select the Templates checkbox and "all nodes requiring update"
- C.select the corresponding nodes in the OVO Node Bank, node Group Bank or IPMap and then Actions->Agents->Install...Select "selected nodes" and all checkboxes, including Force Update
- D.Run opcagt -distrib -templates -force

**Correct:B**

**30.Change of behavior for colored lines takes effect \_\_\_\_\_**

- A.only after re-start of the Display Manager.
- B.immediately after setting in the Java GUI.
- C.immediately after setting in the Motif GUI.
- D.only after 'reload configuration' in the Java GUI.

**Correct:B**

ExamSavior.com was founded in 2006. The safer,easier way to help you pass any IT Certification exams . We provide high quality IT Certification exams practice questions and answers(Q&A). Especially [Adobe](#), [Apple](#), [Citrix](#), [Comptia](#), [EMC](#), [HP](#), [HuaWei](#), [LPI](#), [Nortel](#), [Oracle](#), [SUN](#), [Vmware](#) and so on. And help you pass any IT Certification exams at the first try.

You can reach us at any of the email addresses listed below.

English Customer:

Sales : [sales@examsavior.com](mailto:sales@examsavior.com)

Support: [support@examsavior.com](mailto:support@examsavior.com)

Website: [www.examavior.com](http://www.examavior.com)

